

# Manufacturer's Declaration of Conformity with European Standards

# OSRAM

Document number: 2018 / 9C1-3420064-EN-01  
Manufacturer or representative: OSRAM GmbH  
Address: Marcel-Breuer-Str. 6LI  
80807 Munich  
Germany  
  
Brand name or trade mark: OSRAM  
Product type: LED module  
Product designation: LINEARlight FLEX Diffuse  
 see attached list

Compliance with the European Directives and standards marked in the **Annex** is confirmed.

Place and date of signatures: Treviso, the 18.09.2018

Signatures:  \_\_\_\_\_  \_\_\_\_\_  
Quality Management Quality Assurance  
Names: Mr. Davide Lucchetta Mr. Roberto Barbisan

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It confirms compliance with the indicated standards, but implies no warranty of properties.

This declaration is in conformity with the European Standard EN 17050-1 "Conformity assessment — Supplier's declaration of conformity — Part 1: General requirements".

This declaration is valid until further notice.

The "Manufacturer's Declaration of Conformity with European Standards" is independent of the "EC-Declaration of Conformity".

Customer service contact: OSRAM GmbH, Steineme Furt 62, 86167 Augsburg, Germany

# Manufacturer's Declaration of Conformity with European Standards Annex

Document number: 2018 / 9C1-3420064-EN-01

The designated product(s) comply with the following European Standard(s)

- EN 62031:** LED modules for general lighting — Safety specifications  
2008 + A1:2013 + A2:2015
- IEC TR 62778:** Application of IEC 62471 for the assessment of blue light hazard to light  
2014 sources

# Manufacturer's Declaration of Conformity with European Standards Attached list

Document number: 2018 / 9C1-3420064-EN-01

Models:

**LFD400T-8xx-zz** Flex Diffuse Top white

**LFD400S-8xx-zz** Flex Diffuse Side white

**LFD400MT-yy-zz** Flex Diffuse Monochrome Top

**LFD400MS-yy-zz** Flex Diffuse Monochrome Side

**LFD800T-G1-kxx-zz** Flex Diffuse Top white

**LFD600S-G1-kxx-zz** Flex Diffuse Side white

where:

k: 8 or 9, first digit of CRI

xx: values from 20 to 65 the first 2 digits of CCT

yy: to specify the monochrome color, for example RE for red, YE for Yellow, etc....

zz: length of led module (in meter)