

EU Declaration of Conformity



Document number: 2021 / 9C1-4283939-EN-00

Manufacturer or representative: OSRAM GmbH

Address: Marcel-Breuer-Str. 6
80807 München
Germany

Brand name or trade mark: OSRAM

Product type: Led Module

Product designation: **GINOLED Flex Diffuse TOP & SIDE White**
see attached list of models

The designated product(s) is (are) in conformity with the relevant Union harmonisation legislation:

2009/125/EC and amendments	Directive of the European Parliament and of the Council of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products
1194/2012 and amendments	Commission Regulation (EU) No 1194/2012 of 12 December 2012 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for directional lamps, light emitting diode lamps and related equipment (until 1 September 2021)
2011/65/EU and amendments	Directive of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment; Official Journal of the EU L174, 1/07/2011, p. 88-110
2014/30/EU	Directive of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to electromagnetic compatibility; Official Journal of the EU L96, 29/03/2014, p. 79-106

Last two digits of the year in which the CE marking was affixed:

21 Place and date of signatures: Treviso, 2021-01-28

Signatures:

Quality Management

Quality Assurance

Names: Mr. Davide Lucchetta

Mr. Roberto Barbisan

Customer service contact: OSRAM GmbH, Berliner Allee 65, 86153 Augsburg, Germany.

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It confirms compliance with the indicated Directives but implies no warranty of properties.

Document number: 2021 / 9C1-4283939-EN-00

2009/125/EC and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

1194/2012 and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

2011/65/EU and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN 50581:2012	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances (until 18/11/2021)
EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances (as of 18/11/2021)

2014/30/EU

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN 61547:2009	Equipment for general lighting purposes — EMC immunity requirements
----------------------	---

List of additional Standards the product is compliant to:

EN 62031:2020	LED modules for general lighting — Safety specifications
IEC/TR 62778:2014	Application of IEC 62471 for the assessment of blue light hazard to light sources and luminaires

EU Declaration of Conformity



Document number: 2021 / 9C1-4283939-EN-00

List of models:

- **GFDT400-G1-8XX-01**
- **GFDT400-G1-8XX-05**
- **GFDT800-G1-8XX-01**
- **GFDT800-G1-8XX-05**
- **GFDS400-G1-8XX-01**
- **GFDS400-G1-8XX-05**
- **GFDS600-G1-8XX-01**
- **GFDS600-G1-8XX-05**

where

XX = 25, 27, 30, 35, 40, 50, 57, means colour temperature can be 2500 K, 2700 K, 3000 K, 3500 K, 4000 K, 5000 K or 5700 K