

UK Declaration of Conformity

OSRAM

Document number: 2021 / 9C1-4314634-EN-00

Manufacturer or representative: OSRAM GmbH

Address: Marcel-Breuer-Str. 6
80807 München
Germany

Brand name or trade mark: OSRAM

Product type: Lamp Controlgear

Product designation: QUICKTRONIC DIM, see attached list of models

The designated product(s) is (are) in conformity with the relevant legislation:

UK SI 2016 No. 1101 and amendments	The Electrical Equipment (Safety) Regulations 2016
UK SI 2016 No. 1091 and amendments	The Electromagnetic Compatibility Regulations 2016
UK SI 2019 No. 539 and amendments	The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019
UK SI 2012 No. 3032 and amendments	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

Place and date of signatures: Garching, 2021-08-13

Signatures:



Quality Management



Quality Assurance

Names: Mr. Alwin Veser

Mr. Bernhard Schemmel

UK importer: OSRAM Ltd., 450 Brook Drive, Green Park, Reading, RG2 6UU, United Kingdom.

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It confirms compliance with the indicated statutory instruments but implies no warranty of properties.

Document number: 2021 / 9C1-4314634-EN-00

UK SI 2016 No. 1101 and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN 61347-1: 2015	Lamp controlgear — Part 1: General and safety requirements
EN 61347-2-3: 2011 + AC:2011 + A1:2017	Lamp controlgear — Part 2 3: Particular requirements for a. c. and/or d. c. supplied electronic ballasts for fluorescent lamps

UK SI 2016 No. 1091 and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN 55015:2013 + A1:2015	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
EN 61000-3-2: 2014	Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3: 2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional connection
EN 61547: 2009	Equipment for general lighting purposes — EMC immunity requirements

UK SI 2019 No. 539 and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

UK SI 2012 No. 3032 and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

List of additional Standards the product is compliant to:

List of models:

UK Declaration of Conformity



Document number:

2021 / 9C1-4314634-EN-00

QTi DALI 1x14/24 DIM	QTi DALI 1x18 DIM
QTi DALI 2x14/24 DIM	QTi DALI 2x18 DIM
QTi DALI 3x14/24 DIM	QTi DALI 3x18 DIM
QTi DALI 4x14/24 DIM	QTi DALI 4x18 DIM
QTi DALI 1x21/39 DIM	QTi DALI 1x36 DIM
QTi DALI 2x21/39 DIM	QTi DALI 2x36 DIM
QTi DALI 1x28/54 DIM	QTi DALI 1x58 DIM
QTi DALI 2x28/54 DIM	QTi DALI 2x58 DIM
QTi DALI 2x35/49 DIM	
QTi DALI 1x35/49/80 DIM	QTi DALI-T/E 1x18-57 DIM
QTi DALI 2x35/49/80 DIM	QTi DALI-T/E 2x18-42 DIM
QTi 1x14/24 DIM	QTi-T/E 1x18-57 DIM
QTi 2x14/24 DIM	QTi-T/E 2x18-42 DIM
QTi 3x14/24 DIM	
QTi 4x14/24 DIM	
QTi 1x21/39 DIM	
QTi 2x21/39 DIM	QT 1x18 DIM
QTi 1x28/54 DIM	QT 2x18 DIM
QTi 2x28/54 DIM	QT 1x36 DIM
QTi 2x35/49 DIM	QT 2x36 DIM
QTi 1x35/49/80 DIM	QT 1x58 DIM
QTi 2x35/49/80 DIM	QT 2x58 DIM