

# UK Declaration of Conformity

# OSRAM

Document number: 2021 / 9C1-4314635-EN-00

Manufacturer or representative: OSRAM GmbH

Address: Marcel-Breuer-Str. 6  
80807 München  
Germany

Brand name or trade mark: OSRAM

Product type: Lamp Controlgear

Product designation: Quicktronic, see attached list of models

The designated product(s) is (are) in conformity with the relevant legislation:

<b>UK SI 2016 No. 1101 and amendments</b>	<b>The Electrical Equipment (Safety) Regulations 2016</b>
<b>UK SI 2016 No. 1091 and amendments</b>	<b>The Electromagnetic Compatibility Regulations 2016</b>
<b>UK SI 2019 No. 539 and amendments</b>	<b>The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019</b>
<b>UK SI 2012 No. 3032 and amendments</b>	<b>The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012</b>

Place and date of signatures: Garching, 2021-08-13

Signatures:



Quality Management



Quality Assurance

Names: Mr. Alwin Veser

Mr. Bernhard Schemmel

UK importer: OSRAM Ltd., 450 Brook Drive, Green Park, Reading, RG2 6UU, United Kingdom.

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It confirms compliance with the indicated statutory instruments but implies no warranty of properties.

Document number: 2021 / 9C1-4314635-EN-00

---

## UK SI 2016 No. 1101 and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

<b>EN 61347-1: 2015</b>	Lamp controlgear — Part 1: General and safety requirements
<b>EN 61347-2-3: 2011 + AC:2011 + A1:2017</b>	Lamp controlgear — Part 2 3: Particular requirements for a. c. and/or d. c. supplied electronic ballasts for fluorescent lamps

---

## UK SI 2016 No. 1091 and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

<b>EN 55015:2013 + A1:2015</b>	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
<b>EN 61000-3-2: 2014</b>	Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)
<b>EN 61000-3-3: 2013</b>	Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subjected to conditional connection
<b>EN 61547: 2009</b>	Equipment for general lighting purposes — EMC immunity requirements

---

## UK SI 2019 No. 539 and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

---

## UK SI 2012 No. 3032 and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

Document number:

2021 / 9C1-4314635-EN-00

**List of models:**

QTi 1x14/24/21/39 GII	QTP-OPTIMAL 1x18-40
QTi 1x28/54/35/49 GII	QTP-OPTIMAL 2x18-40
QTi 2x14/24/21/39 GII	QTP-OPTIMAL 1x54-58
QTi 2x28/54/35/49 GII	QTP-OPTIMAL 2x54-58
QTi 1x/35/49/80 GII	
QTi 2x35/49/80 GII	
QTP5 1x49	QTP-FC 1x55
QTP5 1x80	QTP-M 1x26-42
QTP5 1x14-35	QTP-M 2x26-32
QTP5 2x14-35	QT-M 2x26-42/220-240 S
QTP5 2x49	QT-FQ 2x80
QTP5 3x14, 4x14	
QTP-DL 1x18-24	QTP-T/E 1x26-42, 2x26
QTP-DL 1x36-40	QTP-T/E 1x18, 2x18
QTP-DL 2x18-24	
QTP-DL 2x36-40	QT-FIT 5/8 1x18-39
QTP-DL 1x55 GII	QT-FIT 5/8 2x18-39
QTP-DL 2x55 GII	QT-FIT 5/8 1x54-58
QTP-D/E 1x10-13	QT-FIT 5/8 2x54-58
QTP-D/E 2x10-13	

# UK Declaration of Conformity



Document number:

2021 / 9C1-4314635-EN-00

QT-FIT5 1x14-35

QT-FIT8 1x18

QT-FIT5 2x14-35

QT-FIT8 1x36

QT-FIT5 3x14, 4x14

QT-FIT8 2x18

QT-FIT5 1x49

QT-FIT8 2x36

QT-FIT5 2x49

QT-FIT8 3x18, 4x18

QT-FIT8 3x36

QT-FIT8 2x58

QT-FIT8 1x58-70

QT-FIT8 2x58-70

QT-ECO 1x4-16/220-240 S

QT-ECO 1x18-21/220-240 S

QT-ECO 2x5-11/220-240 S

QT-ECO 1x18-24/220-240 S

QT-ECO 1x26/220-240 S