

Product Document

Ambient light sensors – general application note

Application Note



Valid for:

all ambient light sensor products (ALS) from OSRAM Opto Semiconductors

Abstract

This application note introduces ambient light sensing on a general level. The different types of ambient light sensors are described and related to specific applications.

This application note provides an overview about the applications the ambient light sensors (ALS) from OSRAM Opto Semiconductors can be used for. In addition, general information on the ambient light sensors is given. The difference between a standard silicon photodetector and an ALS is shown, as well as the difference between various ambient light sensors and their performance. Additionally, a short impression on how the brightness is measured and on what influences the accuracy can be found in this application note.



Further information:

[High accuracy ambient light sensor SFH 5711](#)

[Overview ALS portfolio](#)

Author: Lex Florian

Table of contents

A. General information	2
B. Basic facts about ambient light sensing	3
Brightness	3
Spectral sensitivity	3
Ambient light sensors versus standard silicon detectors	4
Measuring ambient light levels (brightness)	7
Sensitivity variation	8
Accuracy of the ambient light measurement	8
C. Different types of ambient light sensors	9

A. General information

OSRAM Opto Semiconductors offers a variety of ambient light sensors. This application note introduces the basic facts of ambient light sensing and describes the characteristics of various ambient light sensors. Detailed application notes for specific sensor types are available.

Applications for ambient light sensors

Ambient light sensors are photo detectors which are designed to perceive brightness in the same way as human eyes do. They are used wherever the settings of a system have to be adjusted to the ambient light conditions as perceived by humans. The below list describes typical applications for ambient light sensors:

- Saving battery power: Ambient light sensors provide power saving solutions for hand-held electronic devices such as PDAs, mobile phones and notebook PCs. Nearly all LCD displays and keypads have backlighting. Studies have shown that backlighting is only required about 40 % of the time. An automatic adjustment (auto dimming) of the backlight offers considerable power savings.
- Automatic dimming of flat panel displays such as LCD screens to maintain the same display appearance under all lighting conditions from darkness to bright sunlight.
- Automatic dimming of instruments in automobiles to ensure reliable

visibility under all circumstances.

- Automatic dimming of lamps for office buildings, exterior lightings and traffic signals.
- Headlamp control in cars improves road safety by automatically turning on the lights in twilight or when entering a tunnel.

B. Basic facts about ambient light sensing

Brightness

Brightness is a term that describes how intense a light source is perceived by the human eye. Brightness is measured in units called “Lux”. Light sources with the same Lux level appear at the same brightness to the human eye. Table 1 shows the brightness (Lux measurement) of some everyday light sources. The technical term for brightness is illuminance.


Table 1: Lux measurement of every day light sources

Light source	Brightness in [Lux]
candle (1 m distance)	1
street light	20
office desk lighting	750
overcast day	3000
overcast sunny day	20 000
direct sunlight	100 000

Spectral sensitivity

Spectral sensitivity relates to where on the light spectrum a sensor is most effective. Standard silicon (Si) photodetectors have a spectral response ranging from 1100 nm right down to 350 nm with the peak sensitivity around 880 nm. Human eyes, however, detect a much narrower wavelength range, namely from 400 nm to 700 nm with the peak sensitivity at 560 nm (Figure 1).


Figure 1: Spectral sensitivity of a standard Si-detector compared to the human eye ($V(\lambda)$)



Ambient light sensors versus standard silicon detectors

Most light sources emit both visible and IR light. Different light sources can have similar visible brightness (Lux) but different IR emissions (Figure 2).

Figure 2: Spectral emission of different light sources compared to the spectral sensitivity of human eye




These differences in the emission characteristics and the spectral sensitivity of the detector have to be taken into account when measuring brightness. Standard Si-detectors that detect mostly IR radiation (peak sensitivity at 880 nm)

can give you a false reading as to what the real ambient visible conditions are. In other words, for light sources with a high contribution of IR light, the signal received by a standard Si-detector would suggest a much brighter situation than our eyes actually see.

Figure 3 illustrates this effect. It shows the signals a standard Si-detector yields for different light sources compared to the signals that a “human eye like” detector would see. For IR-rich light sources such as light bulbs the Si-detector signals are much higher than those of the “human eye” detector. Lighting which is controlled by such Si-sensors will not resemble the optimum brightness as felt by humans. To establish a more suitable dimming or lighting control, it is essential to find a sensor which emulates human eyes as closely as possible.

Figure 3: Signal received by a standard Si-detector for different light sources at the same brightness (500 lx) compared to a detector with perfect human eye characteristics



Si-ambient light sensors have a spectral response ranging from 1100 nm right down to 350 nm but with the peak sensitivity around 560 nm. This peak is nearly identical to the human eye spectral sensitivity maximum. Most ambient light sensors are also based on Si, but they use different chip structures and filter layers to shift the peak sensitivity and to suppress as much IR radiation as possible. The degree of matching between the sensor’s spectral sensitivity and the human eye curve is an indicator of the performance of an ambient light sensor. Figure 4 shows the spectral sensitivity of a standard silicon photo transistor, an OSRAM Opto Semiconductors ambient light sensor of the first generation and the human eye ($V(\lambda)$ -curve).

Because the IR portion of the spectral sensitivity of the ambient light sensor is greatly reduced compared to a standard Si-detector (see Figure 4), it is less sensitive to the effects of different lamps. Figure 5 shows the signals of the

ambient light sensor SFH 3410 received from different lamps of the same brightness compared to the signals of a standard Si-detector.

The difference of the signals indicates the accuracy of the brightness measurement. In the case of the standard Si-detector the signals vary by more than a factor 8 between light bulb and fluorescent lamp. This factor is reduced to 3 for the ambient light sensor, which therefore provides a much better accuracy for the brightness measurement.

Figure 4: Spectral sensitivity of a standard Si-detector and an ambient light sensor (SFH 3410) compared to the human eye $V(\lambda)$





Figure 5: Signals received by a standard Si-photo detector and the ambient light sensor SFH 3410 for different light sources at the same brightness (500 lx)



Measuring ambient light levels (brightness)

Ambient light sensors are photo detectors. They yield a photo current which is related to the illuminance. In most cases, the correlation between photo current and illuminance is linear. Figure 6 shows the photo current - illuminance relationship for the ambient light photo transistor SFH 3410. The efficiency of the sensor describes the amount of photo current the sensor yields for a certain illuminance. In the example of Figure 6 the ambient light sensor yields a photocurrent of 300 μA at 1000 lx. Hence the efficiency of the sensor is 0.3 $\mu\text{A lx}$.

The efficiency of a photo detector depends on the illuminance under which it is operated. A change of the efficiency results in a deviation from the photo current - illuminance correlation. The linearity of a detector describes the magnitude of this deviation. Figure 7 shows the linearity for the ambient light sensor SFH 3410. The deviation from the linear correlation is < 5 % within a brightness range of 30 lx to 100 klx. In lower light levels a correction might be necessary.

Figure 6: Photocurrent I_{pce} of the ambient light sensor SFH 3410 versus Illuminance





Figure 7: Linearity of the ambient light sensor SFH 3410: Efficiency versus illuminance normalized to 1000 lx



Sensitivity variation

Due to the manufacturing process ambient light sensors of different production lots will yield different outputs for the same illuminance. The magnitude of this sensitivity variation depends on the sensor type. To account for this, some ambient light sensors are offered in defined sensitivity bins. These are described in the data sheets and in the application notes of the respective sensors. The sensitivity variation can also be overcome by calibrating the assembled unit in the production line.

Accuracy of the ambient light measurement

Several factors determine the accuracy of an ambient light measurement:

- Spectral sensitivity: High detector sensitivity for IR results in low accuracy of the brightness measurement.
- Temperature coefficient: The output current of photo detectors varies with the operating temperature. Large temperature coefficients result in brightness measurement deviations at very high and low temperatures.
- Linearity: Linearity describes the deviation from the photo current - illuminance correlation function.
- Sensitivity variation
- System errors such as resistors, calibration, etc.

Each of these effects contributes with different magnitude to the ambient light measurement accuracy. Table 2 provides an overview of these characteristics for different detector types.

C. Different types of ambient light sensors

OSRAM Opto Semiconductors offers three different types of ambient light sensors. Table 2 provides a selection guide for the different types and gives an overview of these types with their main criteria.

Table 2: Selection guide for OSRAM Opto Semiconductors ambient light sensors. Different types with their main characteristics

	Phototransistor	Photodiode	Opto IC
Output signal	High	Low	High
Linearity	Good	Highest	High
Temperature coefficient	High	Lowest	Low
Sensitivity variation	Factor 1:2 in illuminance per sensitivity bin	±15 %	Factor 1:2 in illuminance per sensitivity bin
Photo current—illuminance correlation	Linear	Linear	Logarithmic (high accuracy over entire dynamic range)
Spectral sensitivity	Low IR contribution	Low IR contribution	Perfect V-λ characteristic
Size	Small	Large	Medium

In short, phototransistors are small devices with good functionality, whereas photodiodes offer high performance at a larger size.

The opto IC SFH 5711 is superior to both devices in terms of spectral sensitivity and dynamic range, as it combines high accuracy over the entire brightness range with low temperature dependence and perfect human eye characteristics. Please see the application note [“High accuracy ambient light sensors SFH 5711”](#) for more information about this high accuracy ambient light sensor.

Figure 8 shows the spectral sensitivity of some OSRAM Opto Semiconductors ambient light sensors. Starting from standard Si sensors, the sensitivity has been continuously improved and has reached perfection with the SFH 5711.

The resulting accuracy of the ambient light measurement for different lamp types is shown in Figure 9. There the signals of each photo detector type for the different light sources are normalized to standard light A (2865 K), which is a standard point of reference for brightness. Figure 9 shows how the signals of each detector type vary with respect to the different light sources. This variation is an indication for the accuracy of the brightness measurement, which can be

achieved with this detector. For a standard Si-detector, for instance, the maximum deviation is found between light bulbs and fluorescent lamps and amounts to over 90 %. The same value is below 2 % for the SFH 5711.

Figure 8: Spectral sensitivity of some OSRAM Opto Semiconductors ambient light detectors compared to a standard Si-photo detector (SFH 3400) and the human eye




Figure 9: Photodetector readings for different light sources at the same brightness normalized to a standard light source A





Figure 10 shows different circuits for ambient light phototransistors:

- A.** Analog signal I_{pce} is used directly. This circuit is suitable for $E_v = 10 \text{ lx}$ to 1000 lx .
- B.** I_{pce} is amplified. This circuit is suitable if sensor is mounted behind displays, $E_v = 0.1 \text{ lx}$ to 10 lx .
- C.** The light source is controlled by a comparator.

Figure 10: Different circuits for ambient light phototransistors





Don't forget: LED Light for you is your place to be whenever you are looking for information or worldwide partners for your LED Lighting project.

www.ledlightforyou.com

ABOUT OSRAM OPTO SEMICONDUCTORS

OSRAM, Munich, Germany is one of the two leading light manufacturers in the world. Its subsidiary, OSRAM Opto Semiconductors GmbH in Regensburg (Germany), offers its customers solutions based on semiconductor technology for lighting, sensor and visualization applications. OSRAM Opto Semiconductors has production sites in Regensburg (Germany), Penang (Malaysia) and Wuxi (China). Its headquarters for North America is in Sunnyvale (USA), and for Asia in Hong Kong. OSRAM Opto Semiconductors also has sales offices throughout the world. For more information go to www.osram-os.com.

DISCLAIMER

PLEASE CAREFULLY READ THE BELOW TERMS AND CONDITIONS BEFORE USING THE INFORMATION SHOWN HEREIN. IF YOU DO NOT AGREE WITH ANY OF THESE TERMS AND CONDITIONS, DO NOT USE THE INFORMATION.

The information provided in this general information document was formulated using the utmost care; however, it is provided by OSRAM Opto Semiconductors GmbH on an "as is" basis. Thus, OSRAM Opto Semiconductors GmbH does not expressly or implicitly assume any warranty or liability whatsoever in relation to this information, including – but not limited to – warranties for correctness, completeness, marketability, fitness for any specific purpose, title, or non-infringement of rights. In no event shall OSRAM Opto Semiconductors GmbH be liable – regardless of the legal theory – for any direct, indirect, special, incidental, exemplary, consequential, or punitive damages arising from the use of this information. This limitation shall apply even if OSRAM Opto Semiconductors GmbH has been advised of possible damages. As some jurisdictions do not allow the exclusion of certain warranties or limitations of liabilities, the above limitations and exclusions might not apply. In such cases, the liability of OSRAM Opto Semiconductors GmbH is limited to the greatest extent permitted in law.

OSRAM Opto Semiconductors GmbH may change the provided information at any time without giving notice to users and is not obliged to provide any maintenance or support related to the provided information. The provided information is based on special conditions, which means that the possibility of changes cannot be precluded.

Any rights not expressly granted herein are reserved. Other than the right to use the information provided in this document, no other rights are granted nor shall any obligations requiring the granting of further rights be inferred. Any and all rights and licenses regarding patents and patent applications are expressly excluded.

It is prohibited to reproduce, transfer, distribute, or store all or part of the content of this document in any form without the prior written permission of OSRAM Opto Semiconductors GmbH unless required to do so in accordance with applicable law.

OSRAM Opto Semiconductors GmbH

Head office:

Leibnizstr. 4
93055 Regensburg
Germany
www.osram-os.com

OSRAM
Opto Semiconductors