

Product Document



Application Note

AN000462

CMV12000 - v1 vs v2

The differences between CMV12000 version 1 and 2

v1-00 • 2017-Aug-18

Content Guide

1	Introduction.....	3	3	Revision Information.....	5
1.1	Ordering Information	3	4	Legal Information	6
2	Differences	4			
2.1	Improvements.....	4			
2.2	Compatibility.....	4			

1 Introduction

The CMV12000 currently has 2 versions: version 1 (mpn: CMV12000-1Exxxxx) and version 2 (mpn: CMV12000-2Exxxxx). This document describes the differences between the two versions and can be used for replacing a v1 sensor with a v2 sensor.

1.1 Ordering Information

Ordering Code	Description
CMV12000HG-1xxxxxx	CMV12000 version 1
CMV12000-2xxxxxx	CMV12000 version 2

2 Differences

2.1 Improvements

Version 2 is an improved revision of v1. The improvements done on v2 are:

- Increased maximum input clock from 300MHz to 600MHz and therefor doubling the frame rate from 150fps to 300fps (in 10b mode)
- Improvements on row and column fixed pattern noise (FPN)

2.2 Compatibility

The CMV12000 v2 is fully pin and electrically compatible with v1 and can therefore be used on the same hardware.

Version 2 can also run at 300MHz instead of 600MHz (see datasheet for procedure and settings).

There are no opto-electrical specification differences between the two versions.

The CMV12000 v2 uses different recommended register settings and has a separate datasheet (datasheet v1.xx vs v2.xx).

So version 2 is a 'drop-in replacement' for v1 when the correct datasheet settings are used.

3 Revision Information

Changes from previous version to current revision v1-00	Page
Initial version 1-00	

- Page and figure numbers for the previous version may differ from page and figure numbers in the current revision.
- Correction of typographical errors is not explicitly mentioned.

4 Legal Information

Copyrights & Disclaimer

Copyright ams AG, Tobelbader Strasse 30, 8141 Premstaetten, Austria-Europe. Trademarks Registered. All rights reserved. The material herein may not be reproduced, adapted, merged, translated, stored, or used without the prior written consent of the copyright owner.

Information in this document is believed to be accurate and reliable. However, ams AG does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information.

Applications that are described herein are for illustrative purposes only. ams AG makes no representation or warranty that such applications will be appropriate for the specified use without further testing or modification. ams AG takes no responsibility for the design, operation and testing of the applications and end-products as well as assistance with the applications or end-product designs when using ams AG products. ams AG is not liable for the suitability and fit of ams AG products in applications and end-products planned.

ams AG shall not be liable to recipient or any third party for any damages, including but not limited to personal injury, property damage, loss of profits, loss of use, interruption of business or indirect, special, incidental or consequential damages, of any kind, in connection with or arising out of the furnishing, performance or use of the technical data or applications described herein. No obligation or liability to recipient or any third party shall arise or flow out of ams AG rendering of technical or other services.

ams AG reserves the right to change information in this document at any time and without notice.

RoHS Compliant & ams Green Statement

RoHS Compliant: The term RoHS compliant means that ams AG products fully comply with current RoHS directives. Our semiconductor products do not contain any chemicals for all 6 substance categories, including the requirement that lead not exceed 0.1% by weight in homogeneous materials. Where designed to be soldered at high temperatures, RoHS compliant products are suitable for use in specified lead-free processes.

ams Green (RoHS compliant and no Sb/Br): ams Green defines that in addition to RoHS compliance, our products are free of Bromine (Br) and Antimony (Sb) based flame retardants (Br or Sb do not exceed 0.1% by weight in homogeneous material).

Important Information: The information provided in this statement represents ams AG knowledge and belief as of the date that it is provided. ams AG bases its knowledge and belief on information provided by third parties, and makes no representation or warranty as to the accuracy of such information. Efforts are underway to better integrate information from third parties. ams AG has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. ams AG and ams AG suppliers consider certain information to be proprietary, and thus CAS numbers and other limited information may not be available for release.

Headquarters

ams AG
Tobelbader Strasse 30
8141 Premstaetten
Austria, Europe
Tel: +43 (0) 3136 500 0

Please visit our website at www.ams.com

Buy our products or get free samples online at www.ams.com/ICdirect

Technical Support is available at www.ams.com/Technical-Support

Provide feedback about this document at www.ams.com/Document-Feedback

For sales offices, distributors and representatives go to www.ams.com/contact

For further information and requests, e-mail us at ams_sales@ams.com